



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A61K 9/28, 9/50, 9/00		A1	(11) International Publication Number: WO 99/11245
(21) International Application Number: PCT/US98/17328		(43) International Publication Date: 11 March 1999 (11.03.99)	
(22) International Filing Date: 25 August 1998 (25.08.98)			
(30) Priority Data: 60/057,216 29 August 1997 (29.08.97) US			(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
(71) Applicant (<i>for all designated States except US</i>): PHARMACIA & UPJOHN COMPANY [US/US]; 301 Henrietta Street, Kalamazoo, MI 49001 (US).			
(72) Inventors; and			
(75) Inventors/Applicants (<i>for US only</i>): WALTER, Gerald, A. [US/US]; 2525 Woody Noll Drive, Portage, MI 49002 (US). SHEN, Robert, W. [US/US]; 5121 Maple Ridge Road, Kalamazoo, MI 49008 (US).			
(74) Agent: YANG, Lucy, X.; Pharmacia & Upjohn Company, Intellectual Property Legal Services, 301 Henrietta Street, Kalamazoo, MI 49001 (US).			

(54) Title: A PHARMACEUTICAL COMPOSITION HAVING TWO COATING LAYERS

(57) Abstract

The present invention provides a pharmaceutical composition which is substantially free of unpleasant tastes and orally administrable which comprises: (a) an active medicament, (b) an inner coating layer comprising an oil substance having a melting point at a range of from about 50 °C to about 100 °C, (c) an outer coating layer comprising at least a polymeric substance.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

A PHARMACEUTICAL COMPOSITION HAVING TWO COATING LAYERS

FIELD OF THE INVENTION

The present invention relates to an orally administrable pharmaceutical composition. More specifically, the present invention relates to a pharmaceutical composition comprising an active medicament with two coating layers which is substantially free of unpleasant tastes.

BACKGROUND OF THE INVENTION

Dimenhydrinate is a well-known therapeutic agent for the prevention or treatment of motion sickness. Like many drugs, however, in particular drugs containing amine or amido groups, it has a strong bitter taste. Without proper taste masking, dimenhydrinate and such drugs cannot be adapted into acceptable orally administrable forms, especially in the form of chewable tablets. Current taste masking techniques, including simple polymer coating of the drug substance, have not been entirely satisfactory for dimenhydrinate to achieve the desired degree of taste masking due to its appreciable solubility in both aqueous medium and various organic solvents. Therefore, solvents used in conventional coating processes often partially dissolve the drug and expose the drug substance on the surface of the preparation.

Recognizing the problems, the present invention is directed toward a taste-masking coating preparation for active medicaments which have the solubility profile as dimenhydrinate, i.e. the ability to dissolve in both organic solutions or aqueous medium in an appreciable extent. We have found that by using two appropriate coating layers such active medicaments can be substantially free from the unpleasant tastes.

INFORMATION DISCLOSURE

Abstract of Japanese Patent No. 116652 discloses the production of wax coated granulated pharmaceutical products using paraffins, beeswax, higher alcohols and/or fatty acid (esters).

The International Publication No. WO 94/08576 discloses a composition which is substantially free of the bitter taste associated with ranitidine and comprises a) a dispersion of lipid coated particles of ranitidine or a physiologically acceptable salt thereof in a non-aqueous vehicle, b) particles comprising ranitidine or a physiologically acceptable salt thereof incorporated into a core and coated with a

lipid coating, and c) lipid coated particles of a form of ranitidine which is poorly soluble in water.

- European Patent Application No. 0 409 254 A1 discloses a rapid-releasing oral particle pharmaceutical preparation with its unpleasant taste masked
- 5 comprising a core and a film layer coating the core, the core at least containing a drug having an unpleasant taste and a water swelling agent, and the film layer at least containing ethylcellulose and a water-soluble substance.

SUMMARY OF THE INVENTION

10 One object of the present invention is to provide a pharmaceutical composition comprising an active medicament for oral administration, which is substantially free of unpleasant tastes associated with the active medicament.

A specific object of the present invention is to provide a pharmaceutical composition for oral administration which comprises an active medicament that is

15 capable of being dissolved in both organic solutions or aqueous medium in an appreciable extent.

A further object of the present invention is to provide a pharmaceutical composition comprising an active medicament for oral administration in a form of chewable tablet, which has good taste, good appearance and suitable hardness.

20 The objects of the present invention have been accomplished in that the present invention provides a pharmaceutical composition that is substantially free of unpleasant tastes and orally administrable which comprises:

- (a) an active medicament,
- (b) an inner coating layer comprising an oil substance having a melting point at a range of from about 50° C to about 100° C,
- 25 (c) an outer coating layer comprising at least a polymeric substance.

DETAILED DESCRIPTION OF THE INVENTION

According to one aspect, the present invention provides a pharmaceutical

30 composition which is substantially free of its bitter taste.

The present invention is formed from an active medicament having an inner coating layer and an outer coating layer. The active medicaments are of the ability to dissolve in both organic solutions or aqueous medium. However, while the composition of the present invention for such medicaments is its most important

35 utility, they are applicable to all pharmaceutically active agents as well.

A suitable composition according to the present invention comprises an active

medicament having an inner coating layer to form an inner core wherein the active medicament is in an amount of from about 5% to about 65% and the inner coating layer is in an amount of from about 95% to about 35% by weight of the entire inner core of the composition. The preferred inner core composition comprises an active medicament in an amount of about 50% and an inner coating layer in an amount of about 50% by weight of the entire inner core of the composition. The amount of active medicament in the composition is adjusted widely depending on the particular active medicament being used and the required concentration.

The oil substance useful in forming the inner layer of the composition includes a broad spectrum of pharmaceutically acceptable water-immiscible materials having a melting point at the range of from about 50° C to about 100° C such as hydrogenated vegetable or animal oil. For example, the oil substance can be hydrogenated or partially hydrogenated soybean oil, avocado oil, squalene oil, sesame oil, olive oil, canola oil, corn oil, rapeseed oil, safflower oil, sunflower oil, fish oils, flavored oils, water insoluble vitamins, or polyethlyene glycol polymer having a melting point at least above 50° C, and mixtures thereof. The preferred oil for the inner coating layer is hydrogenated soybean oil.

The pharmaceutical composition of the present invention further comprises a polymer substance as an outer coating layer. Suitable pharmaceutically acceptable polymer substance for use in the outer coating layer includes cellulose based polymers such as alkylcelluloses, for example, methylcellulose, ethylcellulose or propylcellulose; hydroxyalkylcelluloses, for example, hydroxypropylcellulose or hydroxypropylmethylcellulose; and other cellulose based polymers, for example, cellulose acetate phthalate, hydroxypropyl methyl cellulose phthalate; and methacrylic acid copolymers; aminoalkyl methacrylate copolymers; methacrylic ester copolymers; glycerate triacetate; triethylcitrate; acetyl triethylcitrate; tributyl citrate; acetyl tributyl citrate; diethyl phthalate; dibutyl phthalate; or dibutyl sebacate. Particularly preferred polymeric substance is ethylcellulose, which may be any of the pharmaceutically acceptable ones, for example one having an ethoxyl content of 46.5 to 51% and having a viscosity of 4 to 100 cps. The outer coating layer may contain, in addition to polymeric substance, other pharmaceutical components such as suitable plastersizer, for example, propylene glycol or polyethlyene glycol polymer 400; or solvents, for example, ethanol, isopropyl alcohol, acetone or water. In general, the polymer substance is in an amount of from about 4% to 90% by weight of the total composition. The inner core is in an amount of from about 90% to about 4% by weight of the total composition and the other

components are in the amount of from about 1% to about 40%. In a preferred composition of the present invention, the polymer substance is in an amount of from about 20% to about 40%, the inner core is in an amount from about 40% to about 70%, and the other composition is in an amount of from about 1% to about 5%.

If desired, the composition of the present invention may further comprise conventional pharmaceutical acceptable additives such as coloring agents, flavoring agents, fragrances, preserving agents, stabilizers, anti-oxidant and/or thickening agents.

The compositions according to the present invention may take the form of granules, tablets, pellets, pills, powders or capsules for oral administration.

One important feature of the present invention is that the oil substance employed in the inner coating layer provides great flexibility; thereby the composition of the present invention is capable of being bent or flexed without damage during the tablet compressing process, and the medicine inside the oil coated beadlets will not leak out after chewing. As such, a chewable tablet is the particularly preferred dosage form of the present invention, which may be obtained by compressing the granules with a suitable chewable base such as sucrose, sorbitol, glucose, xylitol, mannitol or a mixture thereof.

The composition of the present invention may be prepared by known manufacturing techniques, for example, using a hot melt coating method to form an inner coating layer and then spray a suitable polymer solution on the inner core. The present invention will be better understood in connection with the following preparations and examples, which are intended as an illustration of and not a limitation upon the scope of the invention. Without further elaboration, it is believed that one skilled in the art can, using the preceding description and the information provided in the examples below, practice the present invention to its fullest extent.

PREPARATION 1 Oil Coating the Inner Layer

30	Dimenhydrinate	5 Kg
	Stearine Flake #17 (hydrogenated soybean oil)	5 Kg

To a stainless steel container, add Stearine Flakes and place the container on a hot plate. Apply heat to the hot plate to melt the flakes and maintain the batch temperature to about 80-85° C. To a Glatt GPCG 5, insulate the air supply unit (including the nozzle, nozzle wand and atomization air line). Atomization air is

preheated to above 100° C by using an air heater. Dimenhydrinate is added to the Glatt product container. Turn the turbine on by using cold air when the spraying system is hot. Spray the melted soybean oil on the dimenhydrinate and maintain the product temperature at about 48° C by monitoring the spray rate until all of the 5 soybean oil is used. Cool the batch to about 35° C and then remove the product from Glatt product container. The product is screened through a #16 mesh screen.

PREPARATION 2 Polymer Coating the Outer layer

	Stearine coated Dimenhydrinate (50% active ingredient)	4 Kg
10	Ethylcellulose NF 4 cps	2 Kg
	Propylene Glycol USP	220 g
	Isopropyl Alcohol	14 Kg
	Acetone	6 Kg
15	To a suitable container add Isopropyl Alcohol, Acetone and the Propylene Glycol. While mixing slowly, add the Ethylcellulose into the above solvents and mix them until all of Ethylcellulose is dissolved. To the Glatt product container add the Stearine coated Dimenhydrinate. Spray the Ethylcellulose solution on to the batch according to the following parameters:	
20	Product temperature:	24-27° C
	Exhaust temperature:	26° C
	Inlet temperature:	40° C
	Atomization air:	3 bar
	Spray rate:	135 g/minute
25	The twice coated product is screened through a #16 mesh screen.	

PREPARATION 3 Chewable Tablet (Grape Flavored)

	Formula for 1,000 tablets	
30	Twice coated Dimenhydrinate (32.9% active ingredient)	152.0 g
	Manitol USP	248.7 g
	Sorbitol NF	248.7 g
	Malic Acid NF	10.5 g
35	Aspartame NF	7.0 g
	Grape Flavor (spray dried, WL-261	20.0 g

FDC Red Lake #40	2.0 g
FDC Blue Lake #1	0.6 g
Magnesium Stearate NF	10.5 g

Add the above ingredients (without the Magnesium Stearate) into a

5 Patterson-Kelley blender and mix for 30 minutes. Add the Magnesium Stearate and mix for 3 minutes. Compress the material into tablets using a tablet press with the weight of the tablets at 700 mg/tablet and tablet harness at 6-9 Strong Cobb Units.

Tablet hardness: 6-9 SCU

Friability: 0.2%

10 Taste: excellent taste with good color appearance

EXAMPLE 1

A. Dimenhydrinate USP 50%

Hydrogenated soybean oil 50%

15

B. Ethylcellulose NF 4 cps 32.15%

Oil coated Dimenhydrinate 64.31%

Propylene Glycol 3.53%

20

CLAIMS

We claim

1. A pharmaceutical composition which comprises:
 - (a) an active medicament,
 - 5 (b) an inner coating layer comprising an oil substance having a melting point at a range of from about 50° C to about 100° C, and
 - (c) an outer coating layer comprising at least a polymer substance,
wherein the active medicament and the inner coating layer form an inner core.
- 10 2. A composition according to claim 1 wherein the active medicament is capable of being dissolved in both organic solutions or aqueous medium.
- 15 3. A composition according to claim 1 wherein the active medicament is dimenhydrinate.
4. A composition according to claim 1 wherein the oil substance is soybean oil, avocado oil, squalene oil, sesame oil, olive oil, canola oil, corn oil, rapeseed oil, safflower oil, sunflower oil, fish oils, flavored oils, water insoluble vitamins, water insoluble vitamins, polyethlyene glycol polymer having a melting point at least 20 above 50° C or mixtures thereof.
5. A composition according to claim 1 wherein the active medicament is in an amount of from about 5% to about 65% by weight of the total inner core.
- 25 6. A composition according claim 1 wherein the active medicament is in an amount of about 50% by weight of the total inner core.
7. A composition according to claim 1 wherein the oil substance is in an amount of from about 95% to about 35% by weight of the total inner core.
- 30 8. A composition according to claim 1 wherein the oil substance is in an amount of about 50% by weight of the total inner core.
9. A composition according to claim 1 wherein the polymer substance is 35 methylcellulose, ethylcellulose, propylcellulose, hydroxypropylcellulose, hydroxypropylmethylcellulose, cellulose acetate phthalate, hydroxypropyl methyl

cellulose phthalate, methacrylic acid copolymers, aminoalkyl methacrylate copolymers, methacrylic ester copolymers, glycerate triacetate, triethylcitrate, acetyl triethylcitrate, tributyl citrate, acetyl tributyl citrate, diethyl phthalate, dibutyl phthalate or dibutyl sebacate.

5

10. A composition according to claim 1 wherein the oil substance is in an amount of about 4% to about 90% by weight of the total composition.

11. A composition according to claim 1 wherein the inner core is in an amount of
10 about 90% to about 4% by weight of the total composition.

12. A pharmaceutical composition comprising:

(a) an active medicament comprising dimenhydrinate in an amount of about from 20% to about 40%,

15 (b) an inner coating layer comprising soybean oil in an amount of about from about 20% to about 40%, and

(c) an outer coating layer comprising at least ethylcellulose.

13. A pharmaceutical composition according to claim 1 which is in a form of
20 chewable tablet for oral administration.

14. A pharmaceutical composition according to claim 12 which is in a form of
chewable tablet for oral administration.

25

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 98/17328

A. CLASSIFICATION OF SUBJECT MATTER
 IPC 6 A61K9/28 A61K9/50 A61K9/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
 IPC 6 A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	GB 2 245 492 A (ZAMBON SPA) 8 January 1992 see the whole document ---	1,2,4-11
A	US 4 808 413 A (JOSHI YATINDRA M ET AL) 28 February 1989 see column 8, line 55 see column 5, line 47 - line 65 ---	3
A	DE 37 15 224 A (ALZA CORP.) 12 November 1987 see the whole document ---	3
A	WO 93 00915 A (UPJOHN CO) 21 January 1993 ---	
A	WO 91 07171 A (NOVA PHARM CORP) 30 May 1991 ---	
		-/-

Further documents are listed in the continuation of box C.

Patent family members are listed in annex.

"Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"S" document member of the same patent family

Date of the actual completion of the international search

Date of mailing of the international search report

18 December 1998

29/12/1998

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl.
Fax: (+31-70) 340-3016

Authorized officer

Fischer, W

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication where appropriate, of the relevant passages	Relevant to claim No.
A	US 5 635 200 A (DOUGLAS STEPHEN J ET AL) 3 June 1997 ---	
A	WO 94 08576 A (GLAXO GROUP LTD ;DOUGLAS STEPHEN JOHN (GB); EVANS JILL (GB)) 28 April 1994 cited in the application ---	
A	US 4 804 548 A (SHARMA SHRI C ET AL) 14 February 1989 ---	
A	US 4 828 857 A (SHARMA SHRI C ET AL) 9 May 1989 -----	

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 98/17328

Patent document cited in search report		Publication date	Patent family member(s)	Publication date	
GB 2245492	A	08-01-1992	IT 1244867 B IT 1244037 B AT 400295 B AT 131091 A AU 638583 B AU 8019991 A BE 1004882 A CA 2044398 A CH 683498 A DE 4122039 A DK 129591 A ES 2036457 B FI 913248 A FR 2664163 A GR 91100283 A, B HU 9500435 A IE 61651 B IL 98525 A JP 6024961 A LU 87964 A NL 9101161 A PT 98188 A SE 9102072 A RU 2012330 C US 5310558 A US 5445828 A US 5629017 A		12-09-1994 28-06-1994 27-11-1995 15-04-1995 01-07-1993 09-01-1992 16-02-1993 05-01-1992 31-03-1994 09-01-1992 05-01-1992 01-03-1994 05-01-1992 10-01-1992 26-08-1992 28-09-1995 16-11-1994 23-07-1996 01-02-1994 03-03-1992 03-02-1992 29-05-1992 05-01-1992 15-05-1994 10-05-1994 29-08-1995 13-05-1997
US 4808413	A	28-02-1989	AU 613898 B AU 1283588 A CA 1323833 A CN 1041103 A DD 272998 A DK 230288 A EP 0288732 A JP 63284123 A KR 9606060 B PH 26689 A ZA 8801488 A	15-08-1991 03-11-1988 02-11-1993 11-04-1990 01-11-1989 29-10-1988 02-11-1988 21-11-1988 08-05-1996 15-09-1992 22-08-1988	
DE 3715224	A	12-11-1987	US 4842867 A AU 621030 B AU 7183787 A BE 1000232 A CA 1297368 A CH 671696 A FR 2598319 A JP 2078045 C JP 7116018 B JP 62267221 A JP 62298529 A KR 9510144 B NL 8701102 A SE 502684 C SE 8701900 A US 4986987 A US 4948592 A US 5200196 A	27-06-1989 05-03-1992 12-11-1987 20-09-1988 17-03-1992 29-09-1989 13-11-1987 09-08-1996 13-12-1995 19-11-1987 25-12-1987 11-09-1995 01-12-1987 11-12-1995 10-11-1987 22-01-1991 14-08-1990 06-04-1993	

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No
PCT/US 98/17328

Patent document cited in search report	Publication date	Patent family member(s)		Publication date
DE 3715224	A	US	5141752 A	25-08-1992
WO 9300915	A	21-01-1993	AU 669664 B AU 2293392 A CA 2110166 A CZ 9302826 A EP 0592594 A FI 935943 A HU 69394 A JP 6509097 T NO 940008 A PL 169045 B SK 194 A US 5490987 A	20-06-1996 11-02-1993 21-01-1993 15-06-1994 20-04-1994 30-12-1993 28-09-1995 13-10-1994 03-01-1994 31-05-1996 09-11-1994 13-02-1996
WO 9107171	A	30-05-1991	AT 133562 T AU 655162 B AU 6950091 A CA 2068216 A DE 69025196 D DE 69025196 T DK 502119 T EP 0502119 A ES 2085465 T GR 3019716 T KR 9605137 B US 5188837 A US 5340588 A US 5221535 A US 5227165 A	15-02-1996 08-12-1994 13-06-1991 14-05-1991 14-03-1996 14-11-1996 03-06-1996 09-09-1992 01-06-1996 31-07-1996 22-04-1996 23-02-1993 23-08-1994 22-06-1993 13-07-1993
US 5635200	A	03-06-1997	AU 669952 B AU 5333694 A DE 69313865 D DE 69313865 T EP 0664701 A JP 8510989 T AT 157867 T CA 2146999 A CN 1092648 A WO 9408576 A ES 2107685 T IL 107303 A MX 9306393 A ZA 9307667 A	27-06-1996 09-05-1994 16-10-1997 12-02-1998 02-08-1995 19-11-1996 15-09-1997 28-04-1994 28-09-1994 28-04-1994 01-12-1997 08-02-1998 29-04-1994 21-04-1994
WO 9408576	A	28-04-1994	AT 157867 T AU 669952 B AU 5333694 A CA 2146999 A CN 1092648 A DE 69313865 D DE 69313865 T EP 0664701 A ES 2107685 T IL 107303 A JP 8510989 T MX 9306393 A	15-09-1997 27-06-1996 09-05-1994 28-04-1994 28-09-1994 16-10-1997 12-02-1998 02-08-1995 01-12-1997 08-02-1998 19-11-1996 29-04-1994

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 98/17328

Patent document cited in search report	Publication date	Patent family member(s)		Publication date	
WO 9408576	A	US 5635200 A ZA 9307667 A		03-06-1997 21-04-1994	
US 4804548	A	14-02-1989	US 4752485 A AU 594929 B AU 4740085 A AU 576630 B AU 4820985 A BR 8504813 A CA 1254513 A CA 1272134 A DK 411785 A DK 453585 A EP 0185442 A EP 0177368 A FI 853443 A, B GR 852263 A JP 61124353 A JP 61126015 A US 4828857 A US 4933183 A US 4935242 A US 4929508 A US 4797288 A		21-06-1988 22-03-1990 10-04-1986 01-09-1988 08-05-1986 22-07-1986 23-05-1989 31-07-1990 06-04-1986 06-04-1986 25-06-1986 09-04-1986 06-04-1986 17-01-1986 12-06-1986 13-06-1986 09-05-1989 12-06-1990 19-06-1990 29-05-1990 10-01-1989
US 4828857	A	09-05-1989	US 4752485 A AU 594929 B AU 4740085 A AU 576630 B AU 4820985 A BR 8504813 A CA 1254513 A CA 1272134 A DK 411785 A DK 453585 A EP 0185442 A EP 0177368 A FI 853443 A, B GR 852263 A JP 61124353 A JP 61126015 A US 4804548 A US 4933183 A US 4935242 A US 4929508 A US 4797288 A		21-06-1988 22-03-1990 10-04-1986 01-09-1988 08-05-1986 22-07-1986 23-05-1989 31-07-1990 06-04-1986 06-04-1986 25-06-1986 09-04-1986 06-04-1986 17-01-1986 12-06-1986 13-06-1986 14-02-1989 12-06-1990 19-06-1990 29-05-1990 10-01-1989

